



Equipment

Brick Saw Clipper CM42 with V Core Guide

The new Clipper CM42 is a lightweight and portable masonry saw. Wider and longer than most equivalent machines on the market, CM42 can cut a 60x60cm slab in two 30cm halves. Stronger frame, new folding feet system, improved conveyor cart and improved stability make the CM42 easier to use. This is an efficient universal masonry saw with high cutting capacity for all construction materials.

The single-piece frame and two rear wheels make for easy transport on floors. One person can easily set up the machine, thanks to the semi-automatic fold-able legs. Single phase electric. Uses 350mm blades.

| SKU | POWER | SIZE |
|------------|-------------------|-------|
| 1149-90001 | 1 Phase 240V 50HZ | 350mm |

This model is designed for cutting brick.

Specifications

- Max. blade diameter: 400 mm
- Max. bore: 25.4 mm
- Tilting table (option - 510109260): 0° - 45°
- Max. cutting depth. at 90°: 135 mm
- Max. cutting depth. at 45°: 94 mm
- Max. cutting length: 680 mm
- Max. material height: 200 mm
- Table size: 500 x 500 mm
- Tool speed RPM: 2800 min⁻¹
- Hand Arm Vibrations: < 2.5 m/s²
- Sound power / Pressure level: 92 dB(A) / 80 dB(A)

Dimensions

- Length: 1187 mm
- Width: 620 mm
- Height (folded legs): 740 mm
- Height: 1360 mm
- Weight: 90 kg



Equipment

Yellow Diamond Blade

The yellow blade will cut materials of soft to medium hardness.

| SKU | DESCRIPTION | SIZE |
|------------|-------------|-----------|
| 1148-00005 | Yellow | 14" 350mm |



Orange Diamond Blade

The orange blade will cut medium to hard material. Also available as a sound dampened blade.

| SKU | DESCRIPTION | SIZE |
|------------|-------------|-----------|
| 1148-00027 | Orange | 14" 350mm |



Green Diamond Blade

The black blade is the first choice for harder materials, but the green blade is an alternative and is dependent on the composition of the rock. The green blade will cut slightly harder material than the orange blade. Also available as a sound dampened blade to special order.

| SKU | DESCRIPTION | SIZE |
|------------|-------------|-----------|
| 1148-00026 | Green | 14" 350mm |



Black Diamond Blade

The black blade is used for hard to very hard cores e.g. magnetite & banded iron.

| SKU | DESCRIPTION | SIZE |
|------------|----------------------|-----------|
| 1148-00025 | Black Sound Dampened | 14" 350mm |



Continuous Diamond Blade

For use on very soft material (such as clays, malachite etc.) and brittle rock that is susceptible to shattering if using blades with segments.

| SKU | DESCRIPTION | SIZE |
|------------|--------------------------|-----------|
| 1149-00009 | Continuous Diamond Blade | 14" 350mm |



Other Diamond Blades Available

For other blade options, please get in contact with our sales team at supply@westernex.com.au in order to discuss and nominate the appropriate blade for its purpose.



Equipment

GPSMAP® 64sx

The GPSMAP 64x handheld series comes preloaded with TopoActive maps featuring rout-able streets and trails so you can take the journey off the grid.

Now you can know your surroundings — such as waterways and natural features as well as buildings, international boundaries and more. You can also find thousands of points of interests, including shops, restaurants, universities, parks and accommodations.

- Rugged and water-resistant design with button operation and a 2.6" sunlight-readable color display.
- Preloaded with TopoActive maps (U.S. and Australia only) featuring rout-able roads and trails for cycling and hiking.
- Know where you're at with a high-sensitivity receiver with quad helix antenna and multi-GNSS support (GPS, GLONASS and Galileo) and 3-axis compass with barometric altimeter.
- Wireless connectivity via BLUETOOTH® technology and ANT+® technology available on GPSMAP 64sx and GPSMAP 64csx models.
- Battery life: up to 16 hours in GPS mode.

| SKU |
|------------|
| 1133-09015 |



GPSMAP® 64X SERIES

EXPLORE THE WORLD WITH RELIABLE NAVIGATION IN HAND

Equipment

GPS 73 International

This easy-to-use handheld is the perfect navigational solution for boats, sailboats or small watercraft that do not have a chart-plotter. It's also ideal as an important emergency navigation backup for all vessels. Its high-sensitivity GPS marks and stores 1,000 way-points and 100 tracks so you can navigate right back to them. Use on land or water — it floats! Features SailAssist, including virtual starting line, heading line, countdown timers and tack assist.

- High-sensitivity GPS marks and stores 1,000 way-points and 100 tracks.
- Marks your favorite locations to easily navigate back to them.
- Garmin SailAssist™ for GPS 73 includes virtual starting line, heading line, countdown timers and tack assist.
- Sunrise/sunset, estimated time of arrival, other calculations and marine data.
- Built-in back-light.



| |
|------------|
| SKU |
| 1133-00113 |

GPSMAP® 64x

The GPSMAP 64x handheld series comes preloaded with TopoActive maps featuring rout-able streets and trails so you can take the journey off the grid. Now you can know your surroundings — such as waterways and natural features as well as buildings, international boundaries and more. You can also find thousands of points of interests, including shops, restaurants, universities, parks and accommodations.

- Rugged and water-resistant design with button operation and a 2.6" sunlight-readable color display
- Preloaded with TopoActive maps (Australia and New Zealand) featuring rout-able roads and trails for cycling and hiking.
- Know where you're at with a high-sensitivity receiver with quad helix antenna and multi-GNSS support (GPS, GLONASS and Galileo) and 3-axis compass with barometric altimeter.
- Battery life: up to 16 hours in GPS mode.



| |
|------------|
| SKU |
| 1133-09014 |

Equipment

SPOT GEN4™ Satellite GPS Messenger

This device gives you a critical, life-saving line of communication when you travel beyond the boundaries of reliable cellular service. SPOT Gen4 lets family, friends, and colleagues know you are OK, or if the unexpected should happen, sends your GPS location to emergency responders all with the push of a button. Add this rugged, pocket-sized device to your essential gear and stay connected wherever you play or work.

- S.O.S. With the push of a button, FocusPoint International, Inc. provides emergency rescue coordination and monitoring through their dedicated search and rescue coordination centers. - for example, contacting 9-1-1 responders in North America and 1-1-2 responders in Europe. The S.O.S. button is for emergencies only.
- Tracking Customized tracking features take your adventure to the next level. Choose motion-activated tracking regardless of the level of service you choose and set up a vibration sensor to tell your SPOT to send track updates when you are moving and to stop when you do.
- Check-in Send a pre-programmed text message or an email with GPS coordinates to up to 10 contacts with your location. Your waypoint is stored in your SPOT account for later reference. Your stored waypoints can be easily integrated into a Shared View.
- Custom Message Set up Custom Messages before your next adventure to send to your list of pre-determined contacts. Use this feature as a secondary OK message or transfer your personal help alert to this message function if you are using a SPOT S.O.V. service on your Help button.
- Help/S.O.V. Alert your personal contacts that you need help in non-life-threatening situations or use SPOT S.O.V. for professional vehicular services on land. (Additional service required)

Specifications

HEIGHT 3.48" (8.83 cm)
WIDTH 2.66" (6.76 cm)
THICKNESS 0.93" (2.36 cm)
WEIGHT 5 oz (142 g) with Lithium Batteries
OPERATING TEMP -22F to 140F (-30C to +60C)
OPERATING ALTITUDE -328ft to +21,320ft (-100m to +6,500m)
HUMIDITY-RATED MIL-STD 810F,
TEMPERATURE cycling from 20°C to 60°C while maintaining 95% RH.
VIBRATION RATED Per SAE J1455
DUST AND WATER RESISTANT IP68



| |
|------------|
| SKU |
| 1133-13011 |

After purchase, the product requires registration and activation at: login.findmespot.com/spot-main-web/activation/step0.html, then choose your subscription plan.

Equipment

SPOT Trace®

Features

- Receive text or email messages when movement is detected.
- Monitor assets in near real time using Google Maps™.
- Satellite technology tracks beyond the reach of normal mobile network coverage.
- Select from 2.5 through to 60 minute tracking intervals
- Compact and easy to install.
- Long battery life and plug in power options.

How it works

SPOT Trace uses satellites to send tracking points and messages, so its signal needs a clear path to the sky. The signal will go through glass and fiberglass but cannot pass through metal or wood.

The SPOT Trace will send a signal to the satellite with its GPS coordinates at intervals determined by you. When movement is detected, the SPOT Trace will send you an email or SMS notification with its GPS coordinates. You can use the SPOT web based user console to track your asset in near real time using Google Maps®.

Notifications

- Tracking: View your assets GPS coordinates using the on-line user console.
- Movement Alerts: Receive a notification when SPOT's vibration sensor detects your asset has new movement.
- Dock Mode: Configure SPOT Trace to track an asset that is primarily stored on the water.
- Power Off Message: Receive a notification of SPOT Trace is powered off.
- Low Battery Message: Receive notification when SPOT Trace's batteries are low.
- Status Message: Receive a daily alert to let you know your asset is secure.

Specifications

- Size: 51.3 x 68.3 x 21.4 mm.
- Weight: 87.9g.
- Operating Temp: -30c to 60c.
- Operating temperature: -20 C to +60 C.
- Operating altitude: -100m to +6500m.
- Humidity rated: MIL-STD-810F, Method 507.3, 95% to 100% condition.
- Vibration rated: Per SAE J1455.
- Waterproof rated: IPX7 (1m for up to 30 minutes).
- Battery type: 4AAA lithium batteries, Line Power with a 5v USB connection.
- Mounting Options: Reversible mounting brackets, Industrial strength double sided tape, Adhesive grip, Adhesive hook and loop tape.



| |
|------------|
| SKU |
| 1133-13008 |

Equipment

TX6160 5 Watt IP67 UHF CB Handheld Radio Kit

- 5/ 1 Watt switchable transmission power.
- Rugged design, IP67 ingress protection.
- Up to 30 hours battery life.
- Built-in LED torch.
- Improved channel scan speed.
- Rotary power/ volume control knob for easy operation.

In the box:

- 5 Watt IP67 UHF CB Handheld radio (TX6160).
- 2600mAh Li-Ion battery pack (BP026).
- IP67 Waterproof speaker microphone (MC011).
- Earpiece style microphone (HS015).
- 12V DC vehicle charger.
- Desktop charger.
- AC adaptor.
- Belt clip.



| |
|------------|
| SKU |
| 1171-00025 |

TX6160 5 Watt IP67 UHF CB Handheld Radio Twin Pack

- 5/ 1 Watt switchable transmission power
- Rugged design, IP67 ingress protection
- Up to 30 hours battery life
- Built-in LED torch
- Improved channel scan speed
- Rotary power/ volume control knob for easy operation

In the box:

- 2x 5 Watt UHF CB Handheld radios (TX6160).
- 2x 2600mAh Li-Ion battery packs (BP026).
- 2x IP67 Waterproof speaker microphones (MC011).
- 2x Ear-piece style microphones (HS015).
- Twin desktop charger.
- Rugged carry case.
- 12V DC vehicle charger.
- AC adaptor.
- 2x Belt clips.



| |
|------------|
| SKU |
| 1171-00029 |

TX3100 UHF Two Way CB Starter Kit

- Digital Signal Processing
- Advanced Signal Management
- Dynamic Volume Control
- Adjustable squelch
- Unique Display Flip Function
- Programmable scan function
- CTCSS and DCS
- Selectable duplex channels
- External speaker socket

In the box:

- TX3100 5 watt UHF CB radio
- Radio mounting bracket and screw pack
- Microphone and microphone clip
- DC power lead
- MB407SS antenna mounting bracket
- AE4018K2 antenna assembly



| |
|------------|
| SKU |
| 1171-00118 |

Equipment



Leica Disto D2

7 measurement mode laser distance measurer. Has an intuitive back-lit LCD display in a 4oz package; pocket-sized. Use Bluetooth® to send measurements into apps running on mobile devices. Measures from its base by default and can be configured to measure from the front.

| SKU | SIZE |
|------------|------|
| 1141-00312 | 100m |



Leica Disto X3

Perfect for tough construction being dust-tight and protected against water jets to IP 65. In addition, it passes drop tests of up to 2m height. Thanks to the integrated tilt sensor, it can take indirect distance absolutely precisely. It incorporates Bluetooth Smart connectivity to your smart device and Leica Apps.

| SKU | SIZE |
|------------|------|
| 1141-00323 | 150m |



Leica Disto D510

The Leica DISTO™ D510 features Bluetooth Smart 4.0, enabling communication to the latest Apple iPhone and iPad devices. This is a major step in improving the workflow of anyone that needs to document and exchange data wirelessly from the work site to office. Dust and waterproof.

| SKU | SIZE |
|------------|------|
| 1141-00305 | 200m |

Survey

Fence Droppers

Used to maintain fence integrity and help spread stock pressure from a single wire, to all wires in the fence, reducing the risk of overloading and subsequent wire breakage. The unique angled design provides additional strength to the fence line. Fence droppers can be quickly fastened to new or existing fences.

| SKU | SIZE | UOM |
|------------|--------|------------|
| 1161-01001 | 940mm | Pack of 25 |
| 1161-01002 | 1070mm | Pack of 25 |
| 1161-01003 | 1170mm | Pack of 25 |



Heavy Duty Survey Stake Driver

Simply place over the top of your timber stake or fence post and strike with a hammer or mallet for a smooth and controlled drive. Stake driver is powder-coated safety yellow and fitted with a black bike-style handle.

| SKU |
|------------|
| 1161-00145 |



Peg Bag

Recommended carry load is 1 bundle of 25.

| SKU | SIZE |
|------------|--------|
| PEGBAG900 | 900mm |
| PEGBAG1200 | 1200mm |




Westernex also carries steel posts, drivers, pullers and caps. Please refer to our Marking section for more information.



Survey

Survey Stake Hard Wood

Westernex has the largest range of survey stakes available in Australia. Available in plain or white top, or a variety of colours. Available in hardwood & pine. Applications include construction, landscaping, civil works and surveying.



| SKU | COLOUR | SIZE |
|---------------|------------|------------------|
| SS0150-WT | White Top | 150 x 25 x 25mm |
| SS0225-WT | White Top | 225 x 25 x 25mm |
| SS0300-WT | White Top | 300 x 25 x 25mm |
| SS0375-WT | White Top | 375 x 25 x 25mm |
| SS0450-P | Plain | 450 x 25 x 25mm |
| SS0450-WT | White Top | 450 x 25 x 25mm |
| SS0600-WT | White Top | 600 x 25 x 25mm |
| SS07501919-BT | Blue Top | 750 x 19 x 19mm |
| SS07501919-GT | Green Top | 750 x 19 x 19mm |
| SS07501919-OT | Orange Top | 750 x 19 x 19mm |
| SS07501919-PT | Pink Top | 750 x 19 x 19mm |
| SS07501919-RT | Red Top | 750 x 19 x 19mm |
| SS0750-WT | White Top | 750 x 25 x 25mm |
| SS0900SPEC-WT | White Top | 900 x 13 x 38mm |
| SS0900-P | Plain | 900 x 25 x 25mm |
| SS0900-WT | White Top | 900 x 25 x 25mm |
| SS1050-WT | White Top | 1050 x 25 x 25mm |
| SS1200-P | Plain | 1200 x 25 x 25mm |
| SS1200-WT | White Top | 1200 x 25 x 25mm |
| SS1500-P | Plain | 1500 x 25 x 25mm |
| SS1500-WT | White Top | 1500 x 25 x 25mm |
| SS150038-WT | White Top | 1500 x 38 x 38mm |
| SS1800-P | Plain | 1800 x 25 x 25mm |
| SS1800-WT | White Top | 1800 x 25 x 25mm |

Other sizes and colours are available upon request.

Geotech Prism Holder Rod - Standard 700mm

| SKU | SIZE |
|------------|-------|
| 1203-00459 | 700mm |



Monitor Prism 2.5inch

- High accuracy
- Silver coated
- 2.5" Circular Prism
- M20 or 3/4" Thread
- 0mm Offset
- Red Housing
- Made in Japan

| SKU | SIZE |
|------------|---------------------|
| 1141-14006 | 2.5" Circular Prism |



Survey

Tape Measure Fibreglass Tape Open Reel

Double coated fibreglass tape. Fibreglass withstands highest tensile strength. Shock absorbing rubber bumpers.

| SKU | SIZE |
|--------|------|
| FO30 | 30m |
| FO50 | 50m |
| FO100M | 100m |



Flagging Tape Plain

Westernex has been making flagging tape for over a decade, so we know what quality is. Our tape is available in standard and other colour options. UV stabilised. Suitable for mining, construction, surveying, civil works and other applications.

| SKU | COLOUR | SIZE |
|--------|------------|--------------|
| FT25BL | Blue Dark | 25mm x 75mtr |
| FT25G | Green Dark | 25mm x 75mtr |
| FT25M | Mauve | 25mm x 75mtr |
| FT25R | Red | 25mm x 75mtr |
| FT25W | White | 25mm x 75mtr |
| FT25Y | Yellow | 25mm x 75mtr |

Minimum order quantities may apply.



Westernex also carries a wide range of flagging tape (including fluoro, glo, patterned, biodegradable - all in 25mm and 50mm), pin flags and tags, marking paint and the like. Refer to our Marking section for further information and for the full range.



Survey

Spray & Mark Marking Out Paint 350g

- Toluene-free formula.
- High opacity, high quality, true colour pigment loading.
- Applications include construction, landscaping, civil works and surveying.
- Unique spray pattern specifically designed for spot marking as well as "writing" applications.



| SKU | COLOUR |
|------|---------------|
| SM08 | Black |
| SM11 | Blue |
| SM12 | Green |
| SM10 | Red |
| SM07 | White |
| SM13 | Yellow |
| SM18 | Grey |
| SM14 | Orange |
| SM03 | Fluoro Blue |
| SM04 | Fluoro Green |
| SM06 | Fluoro Red |
| SM05 | Fluoro Yellow |
| SM01 | Fluoro Orange |
| SM02 | Fluoro Pink |

Line Marking Paint 500g

- A fast drying acrylic paint.
- Specially formulated to provide long lasting lines.
- Ideal for marking out car parks, factories, warehouses, sporting fields and courts.
- Toluene-free formula.



| SKU | COLOUR |
|------|--------|
| LM05 | Black |
| LM02 | Blue |
| LM03 | Green |
| LM01 | Orange |
| LM06 | Red |
| LM07 | White |
| LM08 | Yellow |

Line Marking Machine

- Ergonomic design with built-in side line attachment.
- Heavy duty steel construction.
- Lightweight, removable handle for spot marking.
- Easy to transport.
- Includes utility tray and storage for up to 5 cans of Dy-Mark's Line Marking Paint and Turf Master Paint.
- Line width adjustable between approximately 60mm and 100mm.




| |
|------|
| SKU |
| LM10 |

Safety

Barrier Mesh

Provides excellent visibility for hazard areas.

| SKU | COLOUR | SIZE |
|------------|---------------------|----------|
| 1715-00054 | Orange | 1m x 50m |
| 1161-00043 | Orange (Heavy Duty) | 1m x 30m |



Bunting

Hi Vis fluoro PVC triangle flags. 30 metre length. Reusable high strength nylon rope. 45 flags. Provides excellent visibility for hazard areas.

| SKU | COLOUR | SIZE |
|------------|-----------------------------|------|
| 1708-00052 | Orange (Day) | 30m |
| 1708-03001 | Orange & Yellow (Day/Night) | 30m |



Bollard & Base

Traffic control is made simple with this two piece Bollard set, made of UV stabilised PVC and rubber. Highly visible, these orange bollards have a reflective Grey band that successfully enable them to be seen in all weather conditions. Meets AS1742.3 Australian standard. Highly reflective Grey band, makes it suitable for day and night use. 8kg Base. UV stabilised for long life in Australian conditions.

| SKU | COLOUR | SIZE |
|------------|------------------------|------|
| 1708-00050 | Hi-Vis Orange and Grey | 6kg |
| 1708-00051 | Hi-Vis Orange and Grey | 8kg |



Chain Plastic

8mm UV stabilised. 25 metre roll. Provides excellent visibility for hazard areas.

| SKU | COLOUR |
|------------|--------|
| 1710-00801 | Yellow |



Safety Tape

100m roll x 75mm width. Heavy duty plastic.

| SKU | COLOUR | SIZE |
|------------|---------------------------|-------------|
| 1708-00202 | Black/Yellow | 100m x 75mm |
| 1708-00053 | Blue/White | 100m x 75mm |
| 1708-00054 | Yellow/Black, "Caution" | 100m x 75mm |
| 1708-03006 | Green/White | 100m x 75mm |
| 1708-03007 | Red/White | 100m x 75mm |
| 1708-03009 | Yellow/Black | 100m x 75mm |
| 1708-00056 | Red/White, "Danger" | 100m x 75mm |
| 1708-00055 | Red/White, "Do Not Enter" | 100m x 75mm |





Perth Main Warehouse

66 Truganina Rd, Malaga,
Western Australia 6090
+61 (0) 8 9209 8500
perth@westernex.com.au

Kalgoorlie Warehouse

18 Kinclaven Way, Broadwood,
Kalgoorlie, Western Australia 6430
+61 (0) 8 9091 1152
kalgoorlie@westernex.com.au

Brisbane Warehouse

14 Hasp St, Seventeen Mile Rocks,
Queensland 4073
+61 (0) 7 3376 2422
brisbane@westernex.com.au

Mt Isa Warehouse

13 Ryan Rd, (Entry off Davis Rd)
Mt Isa, Queensland 4825
+61 (0)7 4743 2122
mtisa@westernex.com.au

